

FUJITSU

WALL TYPE
AIR CONDITIONERS

Refrigerant
R410A

เย็นเร็ว ประหยัดจริง



iSave Series

INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER

เทคโนโลยีการออกแบบ และระบบประหยัดพลังงานที่เหนือกว่าอินเวอร์เตอร์ทั่วไป

The Intelligent Choice in Comfort


iSave Series

INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER



ประหยัดไฟมากกว่า **40%**


Wide range ambient operation



เครื่องปรับอากาศฟิวจิส์อินเวอร์เตอร์ สามารถทำความเย็นได้เต็มประสิทธิภาพ แม้ช่วงหน้าร้อนจัด จะร้อนแค่ไหนก็เย็นสบาย ด้วยประสิทธิภาพการทำงานของคอยล์ร้อน ที่ออกแบบให้รองรับอุณหภูมิภายนอกได้สูงถึง 46 องศาเซลเซียส


Powerful operation (โหมดเร่งความเย็น)

Ex. : Cooling operation



การทำงานของโหมดเร่งความเย็นเร็วอัจฉริยะ เพียงปุ่มเดียว จะทำให้คุณสัมผัสกับอุณหภูมิที่เย็นเร็วขึ้นกว่าโหมดปกติ และจะปรับอัตโนมัติเข้าสู่โหมดปกติเมื่อได้อุณหภูมิคงที่ตามที่ต้องการ หรือเมื่อเวลาผ่านไป 20 นาที

Ex. : Cooling operation



Economy operation

โหมดประหยัดพลังงาน (Economy mode) ช่วยประหยัดพลังงานไฟฟ้าเพิ่มขึ้น 30% โดยลดการทำงานเหลือเพียง 70% ของการตั้งตามปกติเท่านั้น

เย็นเร็ว ประหยัดจริง

ALL
DC
ASMG09J

ALL
DC
ASMG12J



INVERTER




Wireless R.C.




ASMG09J / ASMG12J

More Convenient Timer

From wake up to go to work



From sleep to wake up



เพื่อความสะดวกสบายยิ่งขึ้นกับโปรแกรมการตั้งเวลา เปิด-ปิด หรือ ปิด-เปิด ได้ล่วงหน้า คุณสามารถกำหนดเวลาเปิดเครื่อง ในขณะที่ปิดเครื่องอยู่ หรือกำหนดให้ปิดเครื่องขณะที่เครื่องทำงานอยู่ ภายในช่วงระยะเวลา 24 ชั่วโมง

รุ่น ASMG09J 8500 บีทึ

ขนาดทำความเย็น 3100-10200 บีทึ

20,900.-



SEER 15.23

รุ่น ASMG12J 10900 บีทึ

ขนาดทำความเย็น 3100-12900 บีทึ

23,500.-



SEER 15.44



Fan speed
Quiet

Noise level
22dB(A)

Super Quiet Operation

โคมเสียงเงียบ (Quiet Mode) เพียง 22 เดซิเบล โดยการออกแบบการกระจายลม (Airflow Construction) รูปแบบใหม่ คุณจะสัมผัสถึงความเงียบ เย็นสบาย ขณะพักผ่อนตอนกลางคืน หรือแม่ในท้องที่ต้องใช้สมาธิสูง

Dimension Models : ASMG09J / ASMG12J






น้ำยา R410A ประหยัดพลังงาน
และเป็นมิตรกับสิ่งแวดล้อม



ASMG09J / ASMG12J



Wireless R.C.



INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER
INVERTER

SPECIFICATIONS

Model No.	Indoor unit		ASMG09J	ASMG12J
	Outdoor unit		AOMG09J	AOMG12J
Power Supply		[V / Ø/Hz]	220V 1Ph 50Hz	220V 1Ph 50Hz
Norminal Cooling capacity		Btu/h	8500 (3100-10200)	10900 (3100-12900)
Norminal Cooling capacity		kW	2.5(0.9-3.0)	3.2(0.9-3.8)
Input Power	Cooling	kW	0.72	0.93
EGAT#5 (SEER)	Cooling	W/W	15.23	15.44
Running Current	Cooling	A	3.6	4.8
Moisture Removal		[l/h]	1.3	1.8
Sound Pressure	Indoor (High)	dB(A)	43	43
	Outdoor		47	50
Airflow	Indoor	m ³ /h	720	720
	Outdoor		1670	1830
Dimension [H×W×D]				
Indoor (Body only)		[mm]	262x820x206	262x820x206
Outdoor		[mm]	540x660x290	540x660x290
Net Weight				
Indoor		[kg]	7	7
Outdoor		[kg]	25	28
Piping Connections				
Piping Connections (Small / Large)		[in]	1/4", 3/8"	
Drain Pipe Diameter			1/2"	
Max Pipe Length (Pre-Charge)		[m]	20(15)	20(15)
Max Height Difference			15	15
Operation Range	Cooling	°CDB	18 to 46	18 to 46
Refrigerant			R410A	R410A



i-PAM control models



Up / down swing flaps

The up / down flaps automatically swing up and down.



Automatic air flow adjustment

The micro-computer automatically adjusts the air flow effectively to follow the changes of room temperature.



Program timer

This digital timer allows selection of one of four options: ON, OFF, ON→OFF or OFF→ON.



Economy mode

Limits the maximum operation current, and performs operation with the power consumption suppressed.



Powerful mode

Operation at maximum air flow and compressor speed, and quickly makes the room comfortable.



Sleep timer

The micro-computer gradually changes the room temperature automatically to afford a comfortable night's sleep.



Auto restart

In the event of a temporary power failure, the air conditioner will automatically restart in the same operating mode as before, once the power supply is restored.



Washable panel



FUJITSU GENERAL (THAILAND) CO., LTD.

BANGKOK SALES OFFICE

23/110-117 Sorachai Building, 27 floor, Soi Sukhumvit 63 (Ekamai) Sukhumvit Road, Klongton Nua, Wattana, Bangkok 10110

Tel: 0 2787 8111 Fax: 0 2787 8106

Call Center : 0 2787 8111

FUJITSU

FUJITSU GENERAL (THAILAND) CO., LTD.

www.fujitsu-general.com/th/